



PRODUCT SPECIFICATIONS DOMO Play Court

Applications	Tennis, Multisport	
Fibre	Polyethylene / UV-stabilized / Straight / Fibrillated 6.100 dtex / ca. 70 µm thickness	
Production Method	Linear tufting	
Gauge	5/16"	
# stitches / lm	175 / lm	± 10%
# tufts / m ²	22.047 / m ²	± 10%
# piles / m ²	44.094 / m ²	± 10%
Pile Height	22 mm	± 5%
Pile Weight	750 gr / m ²	± 10%
Total Height	24 mm	± 5%
Total Weight	1.910 gr / m ²	± 10%
Tuft Cloth	Polypropylene, UV-stabilized, 160 gr / m ²	± 5%
Backing	Latex, 900 gr / m ²	± 10%
Infill	Sand ca. 24 kg / m ² (> 80% roundness)	
Roll Width	400 cm	
Roll Length	As per lay-out	
Colour	Green	
Colour Lines	White / Yellow	
Colour Fastness	Scale 7 (DIN 54004)	
UV-Stability	> 3.000 hours UV-A	
Water Permeability	6.10 ⁻⁴ m / s	
Pile Anchorage	> 30 N	

Sports and Leisure Group NV reserves the right to amend technical specifications on the above mentioned product. Delivered products can slightly differ from these technical data. Sports and Leisure Group NV guarantees the technical quality of the proposed article.



A POWERFUL EXPERIENCE