

Highline Loop Ecotrust | Ecotrust 350, 100% Recycled



Productdescription



Highline Loop Ecotrust | Ecotrust 350, 100% Recycled



Productdescription

DESCRIPTION	METHOD	DATA
CONSTRUCTION CHARACTERISTICS		
STRUCTURE	ISO 2424	Tufted loop pile
GAUGE	ISO 2424	1/10
PILE MATERIAL	DIR 96/73, 96/74	100% regenerated ECONYL PA6
COLORATION	-	Millitron dyed
BACKING	ETL	Ecotrust 350, 100% recycled
DIMENSIONS	ISO 3018	48x48/96x96/24x96cm/Figura
DIMENSIONAL STABILITY	EN 986	<0,2%
TOTAL THICKNESS	ISO 1765	Apr 8,0 mm.
SURFACE PILE THICKNESS	ISO 1766	Apr 4,0 mm.
TUFTS	ISO 1763	Apr 152.500 pr.m2
TOTAL CARPET WEIGHT	ISO 8543	Apr 2.650 g/m2
PILE YARN WEIGHT	ETL	680 g/m2
SURFACE PILE DENSITY	ISO 8543.	Apr 0,110 g/cm3
PERFORMANCE CHARACTERISTICS		
PERFORMANCE AREAS	EN 1307	Class 33 - Commercial - Heavy
GUARANTEE	ETL	Contract certificate
PERFORMANCE AREAS	Gulvbranchen	Class 33
CASTOR CHAIR SUITABILITY	EN 985	Intensive use
SUITABILITY FOR USE ON STAIRS	EN 1963	Yes
STATIC CONTROL	ETL	Permanently antistatic
BODY WALKING TEST	ISO 6356	Antistatic
ACOU.INSU. FROM IMPACT NOICE	ETL	26 dB
ACOUSTICAL ABSORPTION	ETL	0,25 aW
SUITABILITY UNDERFLOORHEATING	ETL	Apr 0,14 m2K/W
LIGHT REFLECTANCE	ETL	Testreport
COLOUR FASTNESS TO LIGHT	ISO 105-B02	>5
	AATCC 16	3,5
COLOUR FASTNESS TO RUBBING WET	ISO 105-X12	>3
	AATCC 165	5,0
COLOUR FASTNESS TO RUBBING DRY	ISO 105-X12	>3-4
	AATCC 165	5,0
COLOURFAST. TO WATER PATTERNED	ISO 105-E01	>4
CLEANING	AATCC 138	5,0
COLOUR FAST.OXIDES OF NITROGEN	AATCC 164	4,5
OTHER PERFORMANCE TESTS	ASTM D5252 Hexapod	4,5/4,0
	AATCC 134 Electrostr.propensity	0,9 kV
	Water vapour resistance	TESTREPORT
SAFETY & ENVIRONMENT		
FIRE CLASSIFICATION	VKF/AEAI	Approved

Highline Loop Ecotrust | Ecotrust 350, 100% Recycled



Productdescription

DESCRIPTION	METHOD	DATA
CE LABELING	ASTM E-648	Class 1
	ASTM E662 Smoke Density	<450
	ASTM D2859 Surface Flamm.	Pass
	EN 13501-1 Euroclass	Bfl-s1
	RUSSIA	Approved
	EN 14041	Certified
	CPR	1021-CPR-010-1/16
	Declaration of Performance	DOP 5B-PA-ECT350
	Notified body no.	1021
	Ce Year	10
INDOOR CLIMATE	Content of PCP	DL
	Formaldehyde emission	NA
	Slip resistance	Class DS
	BASTA	Registered
	Green Label Plus	Approved
	Green Label Singapore	Approved
	DCL Attestation of Conformity	Product complies
	METS Report	Pass
	Emissions dans l'air intérieur	A+/A+
	Indoor Air Comfort Gold	Group 3
ENVIRONMENT	ABG	ABG-28-01-03-03-2018
	BRE	ENP 434
	Byggsvarudeklaration	With ECTA Backing
	BREEAM-NOR	Approved
	Environmental Product Decl.	EPD-EGE-20190078-CCC1-EN
	Cradle To Cradle Certified	Bronze certified
	Recycled Content, ISO 14021	Apr 43,0 %
	Recycled Content for LEED	Apr 34,0 %
	LEED	Qualified
	GUIDES	
INSTALLATION + ADHESIVE GUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
CLEANING, STAIN REMOVAL	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

Highline Loop Ecotrust | Ecotrust 350, 100% Recycled




Productdescription

DESCRIPTION	METHOD	DATA
MANUFACTURER CHARACTERISTICS		
FACTORY CERTIFICATION	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK

Highline Loop Ecotrust | Ecotrust 350, 100% Recycled



Productdescription



ECOTRUST

We use backings made from recycled water bottles

Some regard used water bottles as waste with no value. Others see them as “the source” of a vital resource that ensures survival and daily well-being. We take it a step further and regard used water bottles as a key ingredient in the manufacturing of our products. The water bottles are an important substance in our patented Ecotrust felt backing, with which all carpet tiles are equipped as standard and therefore also named after. The Ecotrust backing can also be chosen for selected wall-to-wall carpets.

With Ecotrust, you and your customer can specify a backing that takes the utmost consideration of the environment by finding a new and valuable use for a product that, seen in isolation, has come to the end of its life cycle. In doing so, you select a product which, without in any way compromising on design, function and quality, takes the utmost consideration of the only Earth we have. A planet that is not only important to us but also to future generations.

Ecotrust – from used water bottles to carpet backing

Through an innovative manufacturing technique, used water bottles are first converted into plastic flakes and then into the soft fibres that are part of the PET-felt backing manufacturing process.

In addition to being made from recycled products, the felt has the eco-friendly quality of being regenerable. This means that after use, the felt can be broken down to its original chemical formula and become part of new PET products, for example, vehicle interiors and noise-reducing materials.

Outstanding acoustic properties and underfoot comfort

Our patented Ecotrust backing has more great features than just being the environmentally friendly choice for your floor projects. The soft felt material ensures optimum underfoot comfort in the rooms by creating a comfortable feel under the feet, which is neither too soft nor too yielding.

At the same time, the backings are so sturdy that they ensure optimum stability for the carpet tiles. This is important in terms of the quality of the tiling, including the nearly invisible joins that characterise our carpet tiles.

In addition, the Ecotrust backings feature unique acoustic advantages. For example, they reduce reverberations from speech and music very effectively. And the sound of footsteps is also absorbed by the soft material – not just in the individual room but also in the adjoining rooms. This is an advantage in office landscapes and hotels where many people move in close proximity, without it necessarily having to feel that way.

All carpets are Cradle to Cradle certified™

These carpets are Cradle to Cradle Certified™, and you are therefore guaranteed a carpet that is designed to be part of a closed-loop system that does not create waste – and which is made exclusively of materials that do not harm people and the environment.

We have a wide range of collections combining the Ecotrust backing with the ECONYL® yarn, including all carpet tile collections from the ReForm family: A New Wave Ecotrust, Artworks Ecotrust, Flux Ecotrust, Legend Ecotrust, Mano Ecotrust, Calico Ecotrust, Memory Ecotrust and Terra Ecotrust. The flat-woven collection Rawline Scala Ecotrust also falls into this category.

The Ecotrust backings are easily identified by the product name, which contains the word Ecotrust.

Highline Loop Ecotrust | Ecotrust 350, 100% Recycled

ege

Productdescription



All carpets are 100% Cradle to Cradle Certified™

We want to leave the right footprint and make sustainability available to everyone.

Cradle to Cradle helps us do exactly that and therefore all of our carpets are Cradle to Cradle Certified™.

With this product certificate, we prove to the world that we do our utmost to keep valuable materials in circulation, cut down on waste and harmful substances, take better care of our scarce resources, sustain the groundwater, reduce CO₂ emissions and ensure social fairness in our operations and value chain.

Ege Carpets is now the no. 1 brand globally in terms of achieving the highest ever number of certifications in under five years so we are now 100% certified.

Cradle to Cradle is the only choice

With our carpets, it is easier than ever before to choose sustainably. You can pick your very own favourite from thousands of colours, patterns, structures and qualities but you only get one option when it comes to sustainability.

Thus, all of our carpets are 100% Cradle to Cradle Certified™ which means that you can leave the people and planet care taking to us, while focusing your own attention on our great selection of designs.

Products from Ege Carpets:

- do not harm people and environment
- have been thoroughly investigated for material health issues
- are produced with renewable energy
- come from a company that works with water stewardship, CO₂ emissions and social fairness
- 100% Cradle to Cradle Certified™